

MASSACHUSETTS INSTITUTE OF TECHNOLOGY  
**Kinetic Processes in Materials**

3.21 Spring 2002

Samuel M. Allen and W. Craig Carter  
Department of Materials Science and Engineering  
Massachusetts Institute of Technology  
77 Massachusetts Ave.  
Cambridge, MA 02139

Problem Set 2: Due Mon. Feb. 25, Before 5PM in 4-049

**Exercise 2.1**

Please solve Exercise 3.4 in *KPIM*.

**Exercise 2.2**

Please solve Exercise 3.7 in *KPIM*.

**Exercise 2.3**

Please solve Exercise 4.5 in *KPIM*.

**Exercise 2.4**

Please solve Exercise 4.6 in *KPIM*.

**Exercise 2.5**

This is a question that can have many different forms of solution and variable degrees of completeness. Such questions may require that you and your homework group make and justify physical assumptions, or some type of simulation, or data extraction.

As an aid, some of the data for this problem can be found in <http://pruffle.mit.edu/~ccarter/3.21/DATA/>

The attached figures show measured diffusion data for Au-Ni alloys, including intrinsic diffusivities  $D_{\text{Au}}^*$  and  $D_{\text{Ni}}^*$ , and the interdiffusivity  $\tilde{D}_{\text{Au-Ni}}$ . In addition, data for the “thermodynamic factor” in diffusion theory are provided on a separate plot.

Use the data provided to evaluate the validity of the Darken equation for diffusion in Au-Ni alloys at 900°C.

Discuss whether the data can be fit by Arrhenius form and if so determine the activation energy.




Figure 2-5-i: Measured self-diffusion coefficients for gold and nickel as a function of alloy composition.




Figure 2-5-ii: Measured interdiffusion coefficient and thermodynamic factor in Au-Ni alloy.